KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-ECCA56-S653

Client: Ivory Labs

Certified: 09/01/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	NAD+	**Form**	Lyophilized Powder
Batch	IL03-NAD1000	**Labeled Qty**	1000 mg
Cap Color	Clear	**Crimp Color**	Copper

TEST RESULTS

	REFERENCE STANDARD	RESULT
Purity	(>98%)	99.829% ✓
Net Content	(~1000mg)	989.54 mg ✓
Identity Confirmation (LC-MS)	(NAD+)	NAD+ ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Fentanyl Presence Analysis	(Not Detected)	Not Detected ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓
pH	(4.5 - 7.0)	5.1 ✓

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-ECCA56-S653

Access Code: WSUIE1F